

middle Warkato Perongia matamata







ho parta

2170

25,186 n.sw. 25,186 n.sw. 21037 n.z 22,459 n.z 24826 n.z 24826 n.z

Russell Jet speanen of Ramocular Elatere Open topologischem Smart Hant Christian - Pellopanin untellature. Pecis Oxalis streto

AUCKLAND INSTITUTE
AND MUSEUM
LIBRARY

CLASS NO

Jan 1879 (?)

. Sophon Middle Warkato-Whanfape & Warkare -1- cul. 2º cal Perongen 3 - Col. Modamata

Manunculacia. (tellos pored · haching and Mercebala Lotida parvillora Polensai Myadurus alistatus insieris Warren outers pivecula geranicolus Jito x Stebiles lappaceus Wh. Makeropero hisularis acaulis Salviflours Caltha noute-Telandine axillalis Change Nastputen ~ pulsotre Valgaris Darbarea plisuta Pardanine Stylosa Meraceurs hecisus X Viola elicantis Lyallie Hami Reinflorers machaphyllus Pancestations hischauthers Lymenauthers Crassifolia Attasporus tomosfolisis Poleusai patulum leflercura Reidum Lacuration Prasochalium · sunbellaterin lugerioides churcholiner princlesades.

Anacardiacea !! Paryophyllea Lukroshila tebulusa Mellaria parvelloin. etatilisides olabauthus Billardieri Perentaria Subra. montia Loutana Electure Camelicana. Hy perscene oran ingum Jakonie Hagianther divarecatus betuliums Hoheria populsea Muchairie Hibiscus Упония. arbouseens Aristotelia · hucemora Coleusas fruticasa Elieno u. k. deutation Mookerianos house yourses. dissiletum Miceophyllum Lesselestorm molle . australe Oxalis o correculata muellausca · wildren. Mulicope terneta dinplea Dissauleum X · spectabile Peruantia Commodo Mucharisia Wishina (Tomaderris alleptica Edecreys Iscaria · phylicitatio Lounaton Dodonda Vircusa Alectryon · trackens Courseinkus Laveratus

Poriaties Halorageo Corioria huncelolia. Thyracholia. Maria Bilosa Sustrulis odurata flagelleformis luticea Cianthus Buiscens Paphora Etetrapteru. oliustralis y a Elibers. Potertilla auserina arbanson Leran Barreflerusar Acana 10 tangunsorba maraphylla. Quinterna serratal alleptica tacke. bunioides Carpodetus Elisatus Rasspalia Ackaria Werremannia Repricula sacernsta. X muschutu Verticellares debilis Renkulata fretuli Sy grandy Stinater Auriculatu x Halvagis alatu otetralyna edelilessa. Mis chantha Year thatinoides Varue fo liver Anbastren. between culaturas

Gricoidea Haloralen manarca prarepens Extriche Septospera Versia. · Capatina elicaides Inetrasideras o placides lucida · albifloss deffusa · historicipalia Polemoi shohasta of Benerlada Robinsopha 6 Spalendelina Anythis · buttata Ralphin obcordula Redundulate maire al exacticate. Calensai Kraumbers Epselsbirm munulassha lessesouddes Confestifalium Incroppy ller hatende folier o a la heller Melandandon tetraloum o funccessor perheus. Billardierianum Dalledalloren Vaserston tetrander Lecilos augulations Meelmbryant . australe expansa Yetralofica trilyna

Marbellefero Insauthacea-Lydraeolyle Sougato amplicana adjusticamuscaxa diexocta keternush. Klusearka nova Helandria Enoschota Kyrcia klustla 12000 hitalialate ducate. x (rantzia · Lpuin australe. feliporme Enguleum Vedercularum Ledungalis Colemanis Acipliation Ignariasa. Colemani Vienstion acomaticum Aulelica Gent i dien Tho su polia leviculatu Saucus Healinters · timplex 1 awar · Edyenteys · apomalum · Craisofolium Lessonie Calenson · arboneum. × Steretairin × · Chefflera adilitata Verelailie merrita XX Ingle line elucida otettaralis Poration buddlessder Cotoneaster Var methers Colensoi ·tetraketales Tende Hours Havilles, 1 Michaelen

In withour Composita Antredion Makeis Ageur Suna haber apply queschfolla p/Banksii · linasiifolia Caprosina . hecida · grandefolia Bauchana petiolata farmer damir dentitolia What factile Prolundefolia terre Chulis Mrammartes divaricata Karvillozapropensua Labele Saina Colensoi Cunesta obelluta debressa microunds. Musifolis repens, Duniela Norteen Upmy planie (delloude afolia Tetulisa ! termande · pourtualus 4 Askerula berbusilla Eplensai · farfuracea Milida dentale, ilicipolia, Умини виши

Composita Valore 140 human utaritalia Horsteri albida Vueata Volander lucana Lectabilio Perulifolia glandulasa. huntag australio Retiolata Panata 1 Regulatida Brushyerme, Vinclatrie odorata Redens pilasa. Abrotanilla: Ensilla 6 Coronopifolia x Patula Mustalis minon kerpersilla divica Vynalida Kringta haspedia tembriala Passinia ketorla Ceptophytha buldida Variliersin Oxothamero Momeratus Navulia Australio terriscaulis Just baling grandeflown prostratum belledivides Kerieuse filicante luteo-alburn

Epacidea. Composita Justhaleum Polluras environature. Colleman bulles Meluta Douberula Buadredentala alopers Talitolius · lactus tolensas odoratus · Hastitolius berdicioides brenis /eldulmps lins Bederthi Brachy dattische parella-Horsteri Muchberrs nova- Zelandice Cupis Загихасии dem leavis Pecers. preracroides Nouchus o Ceraceus Forstern Bedevellie Helaphyllum Colensoi grammifolium Styledlien x Wahlenberria Gracilis Colenson · physolaides Protia 6 Autopa autulata berkusella V Selliera, Ludenaus Caultheria · antipoda hupestris lasepolia appointedation Cyathodes Vacero da hobusta olia Coleusal

Lacridea Barafined Cucobulor haccilation utachoudes kumila Burkedascens parcellara Sinclassia alpina Socheria Traversin hacemado Pracoply llum talefolium Muchum · Synaklohum. Recureren Consisolium Mrbelleauren. Subulatura unifloren. · Labitina · Hviller divaricata moulana hummularia tettoralis Sapata Costula dea Cumminamer · lanceoluta moutarra Parsonsia albertora Salania depressa_ Meterstrifolium Genestama Montetra Gentiana blenkolymorder Vareoshi ovata, myosotis Spathulata hutarchica australis Forsteri Exarrhena petiolata Lucola

Scrophulalines. Pouvolvulaced Comolinho vekium) Soldanella Inax finata chukescens Spain day tuberculata hepeuro Volennen · deculare kierum Calceolaria Suclarie Likens Mimules repeno Madicans Huren Leadentata Gratiola nana Educastilina claturaides Semosilla. assation Veromea Speciosa macroura-Laboration parveflucas 10 Custrifolia Macrokarka Dubesculo deasurafolia Colensai levis 1 buxelolia tetraloua hivalis Cyallini 10 Lataractio. 10 Mousata spothulate (tuatallis Qurisia Mucrophylla Colembai Enphrasia Caskitasa currenta hevoluta autoritica

Monigniacese Gerneracea abdothanno dolandes Atroculatia protresa, nova - Zelander Colensoi Osttaralis Lucudium · paterfoluer. Wicemia asses cinalis Упупроши Moture. Medetha (aunun hamin Plantals truflota. Belowing Spathulata Pasulie isomia Munomana treundress Muskadina arbicum glancum ambrusiondes Carriatum. Auxillum matetima Cineria Rutula Billa dieri australio Salaconnia indica Muranthers Vescilis Schranthus bellours Polyconnen Menns aviculare Muhlewheckin attorison · Complexa axillario Chhedripides Menusus. Tetranthera la Calicario Nesadakhue Farairis Cassitha Jawa Cassytha pansculata Vedvedrya Alestota

Compere Roteaces · Recetan. resonia Loro lougholia husdla. Virgala besocholin arenseia Envelleauer. * x brostrata Lyalling Daketes Santalum (who wings aince Puphorbia alauca. Meuriesi - Jusca 1 Solander Eliffortisides Licarpurus hicista . Westerd australis Lerox Varietaria debilis . Lustralis Nusilla-Statastemma hertorner. X. Agcarina · lucida, Peperomia Unelleana Plper excelsus Hacketanther · Varlois · australia Vanimara Schoudeur Mourana Bedwillie herryjmia tivalis Noture · spreatu Macrydioides Inprossinum Rollinson Phyllocladus trichomanistes alpeners

Nychideas Indanacea. Innerowater Lender General Communication of the Rhylling By griff auns Special State of the State of the Special S Can inghowing Pastrodia Acranthus rotundifolia-Cyclostyles Adeuscheles Coupsanthes trilaba oblows. rotus difolia Kirulderis macrantha Prierates borrilolia kriner Lyallie bifalia. Prostetis Mankon Praminea hyscromega paliata Turllefolia Suberna Lynamata Milaelottis commita Thelymeter Consistation Scholla Collerson lubertis australis asophyllum Colensai hudum bumilion Salandri Vicindes grandeflows quicelen/lea Huponis bysilla everuetra de landorio 14

June uphaced august tolia. Chargaveur. Simplex hunov coma 1. Justochun trandum. notans byllus Mumoleton humenless tectinalus Murdina Labrenchellia Balustres w &candens Pallinene Kawiflora. Lauralis Cordyline Bankrin ladivisa kumilio Vianella L'intermedia astelia · / www. hami (linealis huvola. Solunder " Banksin Athropolius empatum Candidan. Authorscom Hookeri Phormum the Colensoi Explision hove Delunthere-· Japada Vagmoles Muscus abstralio martiners Clamfolius butdinins Holoschienus nova- Elandia Capellaceus Chupesters Collector

Reetiacea Cuperaceu Wx VI blokarkus Vinklex Calvinklus elburatu Ballideno Mephrum x Cypelius astubaturo Vehrenns axillario terrax Sendo havieflows Browlerin Concurrens niteurs arpha alkina Varpens mauteurs lacustris hiereter Mhacelata alacuta · geacellina Shodosus prolifer Luphina Cartilalinea anchlandica. basilaris Nesmaschammo speralis Funtrio lyles dilhotoma Cladium Momeratum Metetefolium X arhentatura franir 1 Juncein Muclastic Sholia ·laderas Mensearko arenatio edospernas tetrafona Containa Ouobalus kumilio Mestostachusa compactal

sustrali-Uncinia Jerufinea. caspitasa hukes tris feleformis 10 Banksin Rubia Paren kyrenasca desculario morea Coleursai Stellenlata teretimo cula Contachauchia aa Subdola testacea 11 Raoulii lucida 10 Rumila 1 Horstein tunculous trilila. Hesiana dissita Vambertiana Vacculand Chrhaeta Colensoi mocrolous supordes avenucea polynoda Makecums Lecho culaturo Herschlie alkina Sperifer persutus Pas Balun Scraficulatum distichum anscum subecillo, x Stachue hustralis W. Taysia Duncers

ovatus Dichelocane Stepindes Cointa Veines arun dens cea robolino elougatus. autarctica Carrina pawiflora. 6 amilla Delosa Bellardieri Setitolia and diseta Conspicua Cuntomy hamin Ravulie · Ilmannalario hud ". Meschantisia Caspelasa antarchicina Subspication sceria. Strocta. talabo en antarchea hubecilla hevelumis andeps, auchalis Colensoi estreu letteralis Scoparia delruscula arevarios Shullefloren Scabelen your ostichum gracele

Felices

bi.	R	180
		Olerchenia Circinata
1	-X-	dean he
	X	" Gocarfa."
	1	n Stabellata
		1 " dishatoma
N.	LV	Cyather teathate
1	××	11 medentain
		" Gunnytamin
J	X	
		alsophila Colensoi
1	×	Preksoura o Squarrosa
		" Antarctica
1	N	Hymenophyllus temperalense
1	×	Ayenenoplydens turbudence
	1	("/ unitaterale
		" Munimum
,	12	" finalve
N	××	" Kullefedum
1	X	11 harden
		11 Redcherrenner
V	X	" delatation
		" Crispation
10	30	" Sobranthas
1	×××	" le dépusseur
4	×	" Vcabrum
1	1/4	" amentana
4-	XXX	Inchomana Kemforme
N	×	Inchomania Kemborne
		" Haretur
	X X	" relongation
		" Revolile
1	×	" Venosum
		1 " Polensoi
		Irksoma Poundhamin
		Charlattina Charalil
		Agrallia Trova-Lelandia
		Sindsara chalaris
	46	1. " trichomanvides
1		Adiantim kiskedulum
1		
	4	" affine

Filices uhrum Turifolia millafolium distans temifolia · Latcatu Notun difolia Murlande Stremula. Scubernla · hersa · macrellata " Comans peleformis Dologen a-1 Churalitis 10 Fulmbranacea Durnila Valcanica elousata Carrelata discolor 10 allermata alpina Banksin huma Harris Connexas knedia Candata Oblivation · lucideun Habelly o hum falcatur Hookenausun 10 · bullderum 10 Margidum 11 Parotrale

Lycapodiaceu_ Spedien " aculentum Richardie sculatum Cystostelia dristation Corraceum Sie molle, Thely pteris Velhlinum decomposition hiskedum achiteren lepis tuterosa alekodiumo australe Prayme tides Henellum Sylvaticum Rulasum bear gerown Rupelle Mumms hamin Sustalation Buttar bision a Cephophylla. rettelolia Wischilaus distans · Bartaru. hymenophylloids. Lyrdian Serkerta apprentation Schraan dechotoma festulosa Felille Salacina Obstractos sun Vulgalin Bonfalmen Octotarium ykopodowa Varium 111 · Bellardieri dusur Laterales

Cermin Carolinanum Mariosmen Volutile 1 cesipters Forstein belltum tremetrum Indla restra. Carum cules Vinosella Hymen antheren tatifolia Allosprum Hullomanum Intermedición ellepticum .ouhtum. Ralphini Virgatum Kal Aristoteles. execta diversifolius. Libisons maremale Linus mastelli Melicape hova relandere Maha Kirkin Fuchsia Alsum liklophy/lum Coprosina dischlor. decussatus Stranthus allomi Mearia lanceolaters Foth amoun Traversia Dracophyllus aketala reed ! Gatrola Palitolia Munulus Collusoi glanca ! Veronica Phyllocladers (hees emanin Cork santhes boly gourfolius Palamolelon

Astelia Grandis Dooheuma truervia terellus Witaus Daniefora Musemanin Hymenophyllus Levetto Kirkin Pelularia



malracea "

Vapaver Calus acris. Sikens Muleus Fundlew Vastustinas Barbarea. Lesuntrium Seubseku. Papsella Me sidvien Alyssen Minapis Brasseca hapens Raphanus Polygala Villene Lychnis Hellaria Alleraria Salina Carastinn Volycarpan Merenla. Portutuca Hypericum Maloa. humity were Lylvestris Sotunderolia

parinflora officialis off cuale Recor officenale. Lauronicum Evronopus kinwatifida hura- pattoris Kuderple Laterum mareterner ahmaracia hiera sevenses Rupa duacea Cumpestris Jalhous myste Tolia Vinistera quel quevuluera Selhaleo hudia Verkyllefolia apetala tutoaten Vidbosum tetraphyllum arvenses desucen Androsemun perforation mother

carolinsans

Horoccie m Lavatere astronen Lucian asetatissiences Pelargonner queresfolium Cecutarium Endelen. maschatum Podalysia Lericea J Eller enta/saus Courselatus Satus mulor J' Tufaleum Sateure midina flourchalum hepeus procumbers minus Melitatus officienalis devensis 1 Budicago lupulina Ina culata desticulate sorales Simata prent acacia Pobinia sativa, hisauta. tetrasperma Lathyrers odovatus V, acacia Cophantha decurrens. Hungedalus persica Patienes Cerasus Rafrecfalia Rubus discolor hudis Fragasia edous Verca Mation Alchemilla alvensis huchanthe Hosa tubermosa Carlina undica multiploca

Lythearied hysroke folicient pafferi thicta Rusthera Vulgaris apuntia Checurbita binn Hotraselinium Sationer Pemperella Lanhala Feelsenlum Valleare 1 Vancus Curreta Pastingea Sation, Torilis hodos. Scandia secten venetio Cherakhullen cerefolición Saulte Cus hilra Caleun aparme Pherardia precusio Fedia ditoria Scabiasa alarksonkerica , Engeron cumadensis Serening Bellio Courra amberra Edilpta. erecta Sugesbecking orientalis Bledens bilosa Autheris awensis nobilis . teleffea millefolium matricaria inolora. Chamonalla I Chrisautheum les conthemens Leseture. Somerio Villaris Jedudens astroskermun suguile lereur Cryptostemma colendalacea Politanrea hiery Solstitalis Calcitraka 1 Cardinos laucedation

Scrophularinea ele buen marianum Laprana Communio Amoderio busilla Cichorium autybus Hypocheris glatia radicata Thrincia hirta Heard pagos autuumalis minor portefolius Helmerthia Chibides 1 Souchus deraceus arvension Уагикасии deux- Cerris Book hausia taranicifolia Lotida Prekis Overeus Rauthium Spinotum. Anasallis alvensis Venda Qualto 1. En thras Colitaurium Chraglossen melanthum 1 Echeum Vulgare. Thomas a church Churonhera 13 Statas Asclipias Polarium hivea tuberadum Virgianum Wedicerry Mupalis Makenes befreveneau Capercuer ammun Sycopersieum esculentum Vallera thamorium Vicationa tabaccum

Harbarum 9 H

Cunespolia

Hatrum,

Lupester

14cium

Herbaseum

Keophularinia Verousca" arvensio slepyllifolia Busbaumer officinalis Burkulea Sicitalis Libraria Mature officinalis Verbena Mutha Diperita Viridio deutata Stuckys awentis Nepetta Catalia Marsubrum Vulgare Calumntha acarros Parmella Kullario Phylotacca aftandea 1 Plantals Malor Wedia Panciolata falopyrum Con slower ation Verdis Otturifolius Cliskus achtosa (Kenopadium acitasella alburn Veride, musale Eugeolis Hus authus Viridis lividers Heraceus Blitum Ketrofler landativo Ricius athyris helisscopia Palma Pariste

famine

Durgearea Carena Seggenchina Laito Coladiolis Lulhaly 2a Mark Colocation Molasin Richardia Sponseton Allins Asphodelus Makedurus Paleum Madario Haleus / arricum Jelavia histida Castudium Cyrodon Meitaria Elensine

Poa laferstis

Lever

Authorauthurs

hrees diasca Carica lindica anceko Perchamca Listantinin alhapica americana antiquorum undaca. africana Histochyou Vinesto; Listulasus officinalis pratensis alrestes Bratinge Panasiensis Canatus hallis Colours Johasum Vindis Malica lalycina Vallario ludgereur dacheron Lankunalio Kulnifusa birdida odoratum Caryophyllea Sation luma prateries hisialis Proweir

hunor makeura) retulio Vouesala cristalus Cynosuro beomaides Festive Brownero sterilis Commutations mollis tectoum Rucemanno arvensis Satulnen unistoides macroskerma frundivaria Gerentue Malieum temelenter Visto cum Lativers Horderen Lativern hurinen Lepturus. hicurvatus Australis Authistiria Apluda mutica

Court to in Lake thought - afer Beppie maritimes - Lament time palestas - Respect maritimes - Polestas - in they was out associated as the later beautiful to the later beautiful to the later beautiful to the later beautiful association at the later beautiful to the later beautiful to the later beautiful to the later.

Lake Wichau : - Ristotte Korneri . Ramanentes Lincordia - aband a See per 20 Perpis meritaina heptetapus forgerous - Comme Jackiene - Serotes Krakis - Ocalines de Co-Leipus Hentaus -

Lote Nicho - Getier minere - Relien

Contrace - morrower France.

Warkare The tex leading por bathe Brekove and the Wantesto how him beader deanly secret or so Residence compand of Explor latifalies, Simpus marstinus & & locustio Phoneum terrore, Cladiem sitea chem, Vercha a greater 1. 2 Spharolato Coffeerum mones, Glower togung elatinades, etc. of Harvalle Mant, letering in nature and the most abandout, the opening ber arke rates. Phanocolon selver in. Chara to Wellette, comed of ciery Growing the lake in a north conster desection to the Red Bluff the attract Leptercupeur palefromes. was noticed in great a Brustance. I make Specimens of Sertes Kirki Here seen in the shallow water of the Lake - w also a corres maniphyllow. Partir ingulata, Morths dummy having , were not sendermen in the show. On the extreme existion side 12 12 lake Lethera sedicans in shurtante in the promentary separating the nothern from the contline bat of his lake Merchanton Esspetina was must be to doct -

Whangape Maryape buck is olded as to be with The same whee inal plants are the sucho from Waidener, but how a far more copiens phosintih Vegetation. Polaryon Intous tous excessively aboutant, as also R orbunters. P. perhanters is also about ant translo the sipper part of the Creek. Chains thatellas of advisor species in many places filled the bed of the crester a turno feature in the large tumber of old El-weirs, which me built of longe thes driven into the bed of the create, to the win taking the foun of the latter V. with the aber from down stream; a small opening is left in the centil fast wide enough it allow South to place Mosph . Emerging at the lake, Ruppin martine is abundant in many places, the flower pedomoles being flar descrale frest lay . - Sevetes kuthi is abundant to late of Small Diver . Byrughopline a of with paner lines leaves was whendow to

Shahan habe along the trangen of her lake, Rannoulus temosalla has picked in Several places. Super duran Appeared the comparation Commens September was again met with, but was not being a housand plante dun horse Brake angulata, Bankara macropus, Elections a cute, Clathinin Juncium, C. antremlation, Eleocharis aphaelit Carex sutdala - jestional stoudant, agrostion amula, Supers laustris, Lypha argustifolia, etc. In shallow place on the Warkets, especially hear the criticana of the maramarus, Espelane Precion was not uncommen. It was now in full influencemen.

Porrnger

Between the townsteen of the make flow charle bolls, and security galles place with keeps bediever and there is to town and the properties were picked near the Maybe langer. Reperson party or fresh, two has been of the moventain is principally compand of Jama - from foll grown tall specimens much with the Jaman are Jelenthere Santalum Bymanlam Rewarewa Pance or brewn undergrowth of Jam trees. Absensance . As the mountain is exercised Weenmanne receivers moveaux - Dawdonia superty was picked in Devent place

Pirongia

Rely connecting the Alexandre mount with the Peak proper me named trade-like - vagueto-doughed than , South , Wermann Spream Spream patitioning traceptles tensering from suff high 6 in drawn J. Smallinie litteration from Swelling Common factories folios of the Common factories folios of the Spream for many little manages attended to the manual little manages attended to the manual little manual attended to the common of the manual little to the manual attended to the common of the common

Perongia.

Bento on the legent fresh. Lougher minute, and him, how seen about to fit - all more than the minum denier, Coprosino jeto direce. Mesmorano Escento be in process, van moor. Codyline Kandein, Propostaria sadriate (setuched). Rubus another, y, Wermanie sylvida furthere antifote Russe Colones A Sinclaire Sentine Sorrate Coprome beids troughylin I was belonger Loters Place again his freshine altrata Epolehum problem Knows Maryhour Themenes begins at in young the polyanthos Experience generalists Willer Harrison halks of Myranghille Generalier Tourfless Forth Edute historia alconomia herry file

I Hamble Michelle Contacts Side

Warrere Falls

Warrere Vools betweenthis Bright wom

Reviewed Bankrown some amust make to Messelona

Avenues - I som brytes in the otherny Roseles brightha

Phoronoma Colonics Warle - Land March and

Apralis armele - Bank March 2000










































































Janely 2-0
1-6
2-8
1-6
2-0
1-6
2-0
1-6
2-0
1-6
2-0
1-6
2-0
2-0





